

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	399/027.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2005/03/21 11:38
S29	328	399/27,49.ccls. and (reference near3 (value number amount))	US-PGPUB; USPAT; EPO	OR	ON	2005/03/14 20:23
S30	155	S29 and (reference with (change alter modify increase decrease changing altering modifying increasing decreasing))	US-PGPUB; USPAT; EPO	OR	ON	2005/03/14 21:42
S31	40	S30 and (not density)	US-PGPUB; USPAT; EPO	OR	ON	2005/03/14 20:30
S32	129	S30 and (reference with (voltage charge bias number))	US-PGPUB; USPAT; EPO	OR	ON	2005/03/14 21:43
S33	97	S30 and (reference near3 (voltage charge bias number))	US-PGPUB; USPAT; EPO	OR	ON	2005/03/14 21:43
S34	86	S30 and (reference near2 (voltage charge bias number))	US-PGPUB; USPAT; EPO	OR	ON	2005/03/14 21:59
S35	1	"20020025174"	US-PGPUB; USPAT; EPO	OR	ON	2005/03/14 21:59
S36	71	399/59.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2005/03/21 11:41
S37	557	399/49.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2005/03/21 11:42
S38	1702	399/27,49,57,59,61,258.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2005/03/21 11:46
S39	1429	S38 and ((toner developer) with (left amount residual remaining remain))	US-PGPUB; USPAT; EPO	OR	ON	2005/03/21 11:50
S40	1083	S39 and ((reference set predetermine predetermined variable previous) with (value amount variable))	US-PGPUB; USPAT; EPO	OR	ON	2005/03/21 11:52
S41	753	S40 and ((reference set predetermined detection variable previous) with (time period))	US-PGPUB; USPAT; EPO	OR	ON	2005/03/21 11:53
S42	480	S41 and ((change update convert changing updating converting) with (value amount variable number))	US-PGPUB; USPAT; EPO	OR	ON	2005/03/21 13:30

S43	1702	399/27,49,57,59,61,258.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2005/03/21 13:31
S44	1429	S43 and ((toner developer) with (left amount residual remaining remain))	US-PGPUB; USPAT; EPO	OR	ON	2005/03/21 13:31
S45	1083	S44 and ((reference set predetermine predetermined variable previous) with (value amount variable))	US-PGPUB; USPAT; EPO	OR	ON	2005/03/21 13:31
S46	753	S45 and ((reference set predetermined detection variable previous) with (time period))	US-PGPUB; USPAT; EPO	OR	ON	2005/03/21 13:31
S47	480	S46 and ((change update convert changing updating converting) with (value amount variable number))	US-PGPUB; USPAT; EPO	OR	ON	2005/03/21 13:31
S48	199	S47 and ((predetermined set reference) with (number amount value) with (update change))	US-PGPUB; USPAT; EPO	OR	ON	2005/03/21 14:44
S49	98	S48 and (reference with (voltage bias charge))	US-PGPUB; USPAT; EPO	OR	ON	2005/03/22 11:31
S50	1708	399/27,49,57,59,61,258.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2005/03/22 11:31
S51	1434	S50 and ((toner developer) with (left amount residual remaining remain))	US-PGPUB; USPAT; EPO	OR	ON	2005/03/22 11:31
S52	1087	S51 and ((reference set predetermine predetermined variable previous) with (value amount variable))	US-PGPUB; USPAT; EPO	OR	ON	2005/03/22 11:31
S53	756	S52 and ((reference set predetermined detection variable previous) with (time period))	US-PGPUB; USPAT; EPO	OR	ON	2005/03/22 11:31
S54	482	S53 and ((change update convert changing updating converting) with (value amount variable number))	US-PGPUB; USPAT; EPO	OR	ON	2005/03/22 11:31
S55	200	S54 and ((predetermined set reference) with (number amount value) with (update change))	US-PGPUB; USPAT; EPO	OR	ON	2005/03/22 11:31
S56	92	S55 and (reference with (voltage bias charge)) and ((reference predetermined set) with (time period))	US-PGPUB; USPAT; EPO	OR	ON	2005/03/22 11:34
S57	79	S55 and (reference with (voltage bias charge)) and ((reference predetermined set) near5 (time period))	US-PGPUB; USPAT; EPO	OR	ON	2005/03/22 11:34